Creating Press Job Options through Adobe Acrobat Distiller 5.x

This feature allows you to save time and reduce the probability of printing-related errors by saving and applying frequently used settings from the Job Options menus. To create PDF files for output, use the following.

Under **Settings** select **Job Options**. The Job Options box will open **(2)**. Make selections as shown in **box 2.**

Click the **Compression** tab. Select as shown in **box 3**.

Click the **Fonts** tab. Make selections as shown in **box 4**.

Click the **Color** tab. Make selections as shown in **box 5**.

Click the **Advanced** tab. Make selections as shown in **box 6**.

Click the **Save As** button to save your new Job Settings.

Click **OK**. See page PDF-1.1 for creating Watch folders.

1.

File	Edit	Settings	Help
		Font Locations... ⌘L	
		Watched Folders... ⌘F	
		Job Options... ⌘J	
		Security... ⌘S	

3. Job Options: PPCOPress(1)

General / Compression / Fonts / Color / Advanced

Color Images
- ☑ Bicubic Downsampling to 300 dpi
- for images above: 450 dpi
- ☑ Compression: Automatic
- Quality: Maximum

Grayscale Images
- ☑ Bicubic Downsampling to 300 dpi
- for images above: 450 dpi
- ☑ Compression: Automatic
- Quality: Maximum

Monochrome Images
- ☑ Bicubic Downsampling to 1200 dpi
- for images above: 1800 dpi
- ☑ Compression: CCITT Group 4
- ☐ Anti-Alias to gray: 8 bit

☑ Compress Text and Line Art

OK | Cancel | Save As...

2. Job Options: PPCOPress(1)

General / Compression / Fonts / Color / Advanced

File Options
Compatibility: Acrobat 4.0 (PDF 1.3)
- ☑ Optimize For Fast Web View
- ☑ Embed Thumbnails
- ☐ Auto-Rotate Pages: Collectively By File

Distill Pages: ⦿ All
  ○ From: ___ To: ___
Binding: Left
Resolution: 2540 dpi

Default Page Size
Width: 612   Units: Points
Height: 792

OK | Cancel | Save As...

5. Job Options: PPCOPress(1)

General / Compression / Fonts / Color / Advanced

Adobe Color Settings
Settings File: None

Color Management Policies
Leave Color Unchanged
Intent: Default

Working Spaces
Gray: Dot Gain 20%
RGB: sRGB IEC61966-2.1
CMYK: U.S. Web Coated (SWOP) v2

Device-Dependent Data
- ☑ Preserve Overprint Settings
- ☑ Preserve Under Color Removal and Black Generation
- Preserve Transfer Functions
- ☐ Preserve Halftone Information

OK | Cancel | Save As...

4. Job Options: PPCOPress(1)

General / Compression / Fonts / Color / Advanced

- ☑ Embed All Fonts
- ☑ Subset Embedded Fonts When Percent Of Characters Used Is Less Than: 100 %
- When Embedding Fails: Cancel Job

Embedding
Base 14 Fonts

- Courier
- Courier-Bold
- Courier-BoldOblique
- Courier-Oblique
- Helvetica
- Helvetica-Bold
- Helvetica-BoldOblique
- Helvetica-Oblique
- Symbol
- Times-Bold
- Times-BoldItalic
- Times-Italic
- Times-Roman
- ZapfDingbats

Always Embed:

Never Embed:

OK | Cancel | Save As...

6. Job Options: PPCOPress(1)

General / Compression / Fonts / Color / Advanced

Options
- ☐ Use Prologue.ps and Epilogue.ps
- ☑ Allow PostScript File To Override Job Options
- ☑ Preserve Level 2 copypage Semantics
- ☑ Save Portable Job Ticket Inside PDF File
- ☑ Illustrator Overprint Mode
- ☑ Convert Gradients To Smooth Shades
- ☐ ASCII Format

Document Structuring Conventions (DSC)
- ☑ Process DSC Comments
- ☐ Log DSC Warnings
- ☑ Resize Page and Center Artwork for EPS Files
- ☑ Preserve EPS Information from DSC
- ☐ Preserve OPI Comments
- ☑ Preserve Document Information from DSC

OK | Cancel | Save As...